Base for suncream with BergaMuls ET 1





Global Ingredient Solutions CustomerService@ingsolutions.com











Phase	Product	INCI Name	% (w/w)
Α	Demin. Water	Aqua	up to 100
В	BergaMuls ET 1 ¹	B-Glucan (and) Pectin	3.0
	BergaCare IN21	Isononyl Isononanoate	4.0
	Dimethicone	Dimethicone	1.8
	Octocrylène	Octocrylène	4.0
	Escalol 5171	Methoxydibenzoylmethane	3.0
	BergaCare EM-AB ¹	C12-C15 Alkyl Benzoate	8.1
	BergaCare FG 51	Ethylhexyl Stearate (and) Ethylhexyl Palmitate (and) Hydrogenated Olive Oil unsaponifiable (and) Caprylic Capric Triglycerides	4.2
С	Preservative / tocopherol	_	q.s.
	Fragrance	-	q.s.

Suppliers: 1: Berg + Schmidt,

Formulation instructions:

- Dillute the Methoxybenzoylmethane into the BergaCare EM-AB.
- Mix with the rest of phase B.
- Add slowly phase A to phase B while stirring (no lumps must be visable)
- After 10 minutes, homogenize with approx. 9500 rpm.
- Add phase C under stirring
- 40 minutes after first homogenization, homogenize the formulation again.

Vicosity: 17800 Cps Intern ID: FJ0B134

Suggestions for use and application of products and guide formulations are intended for information purposes only and are without commitment. Berg + Schmidt customers should not use these suggestions as a substitute to testing the suitability of product for their intended use. The user of the products is solely responsible for compliance with all laws and regulations relating to the use of the products, including intellectual properties rights and third parties.